

# **UAV KU Band Data Link Antenna**

KU Auto Pointing Antenna System (0.60m / 0.90m Optional)

Antenna Specifications				
Model	STC-0.60m-KU-S-UAV	STC-0.90m-KU-S-UAV		
Band	KU	KU		
Tx Frequency	13.75 - 14.50 GHz	13.75 - 14.50 GHz		
Rx Frequency	10.70 - 12.75 GHz	10.70 - 12.75 GHz		
Tx Gain	37.2 dBi	40.5 dBi		
VSWR/Return Loss	1.30:1 / 17.7 dB	1.30:1 / 17.7 dB		
Polarization Feature	Vertical/Horizontal	Vertical/Horizontal		
Cross Polarization	≥30dB ( Axis)	≥30dB ( Axis)		

RA					C	_ ::::		
iviec	hanica	I - EI	lectr	Ical	201	<b>4911</b>	(cat (	ons

Antenna Aperture	0.60 m	0.90 m		
Antenna Type	Prime Focus	Prime Focus		
Antenna Dimension (Size-Depth)	600mm- 279mm	900mm-387mm		
Mechanic Dimension (LxWxH)	380x290x450mm	380x290x450mm		
Mechanic Weight	36 Kg	38 Kg		
Azimuth	360°	360°		
Elevation	(-10°) <del>- (+</del> 190°)	(-10°) – (+190°)		
Polarization	360°	360°		



Work Wind Load	200 km/h	
Temperature	-40°C - +80°C	
<b>Protection Grade</b>	IP68	
Humidity	lumidity 0-98%	
Disclaimer: All images are for reference purposes only		



Revised | May 07 2020 (V2)

Important Notice: Information contained in this data sheet is believed to be reliable at the date of issue, however accuracy and completeness is not guaranteed. Satelcom holds the right to change the product specifications without notice.





# **UAV KU Band Data Link Antenna**

KU Auto Pointing Antenna System (0.60m / 0.90m Optional)

### **Picture**



Disclaimer: All images are for reference purposes only

Revised | May 07 2020 ( V2)

Important Notice: Information contained in this data sheet is believed to be reliable at the date of issue, however accuracy and completeness is not guaranteed. Satelcom holds the right to change the product specifications without notice.






## **UAV KU Band Data Link Antenna**

KU Auto Pointing Antenna System (0.60m / 0.90m Optional)

### **Dimension**

### STC-0.90m-KU-S-UAV



Disclaimer: All images are for reference purposes only

Revised | May 07 2020 ( V2)

**Important Notice:** Information contained in this data sheet is believed to be reliable at the date of issue, however accuracy and completeness is not guaranteed. Satelcom holds the right to change the product specifications without notice.

